

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 01/10/2006

	APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/678,609		10/04/2000		HIROKAZU HONDA	PF-2683/NEC/US/mh	7187	
	466 7590 01/10/2006		01/10/2006		EXAMINER		
	YOUNG &	THOMP	SON	GRAYBILL, DAVID E			
745 SOUTH 23RD STREET							
	2ND FLOOR				ART UNIT	PAPER NUMBER	
	ARLINGTON	N, VA 2	22202		2822		

Please find below and/or attached an Office communication concerning this application or proceeding.

			8				
	Application No.	Applicant(s)					
	09/678,609	HONDA, HIROKAZU					
Office Action Summary	Examiner	Art Unit					
	David E. Graybill	2822					
The MAILING DATE of this communication a Period for Reply	ppears on the cover sheet wi	th the correspondence address					
A SHORTENED STATUTORY PERIOD FOR REF WHICHEVER IS LONGER, FROM THE MAILING  - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory perions for reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNIC 1.136(a). In no event, however, may a re od will apply and will expire SIX (6) MON rute, cause the application to become AB.	CATION.  apply be timely filed  THS from the mailing date of this communication.  ANDONED (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on 24	October 2005.						
2a)☐ This action is <b>FINAL</b> . 2b)☑ The	nis action is non-final.						
3) Since this application is in condition for allow	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under	r Ex parte Quayle, 1935 C.D	. 11, 453 O.G. 213.					
Disposition of Claims							
4) Claim(s) 43,45-54 and 86-89 is/are pending	in the application.						
4a) Of the above claim(s) is/are withdown	• •						
5)⊠ Claim(s) <u>86-89</u> is/are allowed.							
6)⊠ Claim(s) <u>43 and 45-54</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and	l/or election requirement.						
Application Papers							
9) The specification is objected to by the Exami	ner.						
10) The drawing(s) filed on is/are: a) □ ad	ccepted or b) objected to I	by the Examiner.					
Applicant may not request that any objection to the	ne drawing(s) be held in abeyan	ce. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the corre	ection is required if the drawing(	s) is objected to. See 37 CFR 1.121(d).					
11)☐ The oath or declaration is objected to by the	Examiner. Note the attached	Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119							
12)☐ Acknowledgment is made of a claim for foreig	an priority under 35 U.S.C. &	119(a)-(d) or (f).					
a) ☐ All b) ☐ Some * c) ☐ None of:	,						
1. Certified copies of the priority docume	nts have been received.						
2. Certified copies of the priority docume		pplication No					
<ol><li>Copies of the certified copies of the pr</li></ol>	iority documents have been	received in this National Stage					
application from the International Bure	au (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a li	st of the certified copies not	received.					
Address to the second of the s							
Attachment(s)  Notice of References Cited (PTO-892)	4) Interview S	ummary (PTO-413)					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s	)/Mail Date					
<ul> <li>Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0 Paper No(s)/Mail Date</li> </ul>	8) 5) Notice of In 6) Other:	formal Patent Application (PTO-152) ·					

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 10-24-5 has been entered.

In the rejections infra, generally, reference labels are recited only for the first recitation of identical claim elements.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 43, 45 and 54 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Nakamura (6372547), Hayasaka (6809421) and Baba (6016013).

At column 5, line 55 to column 8, line 9; and column 10, line 49 to column 12, line 35, Nakamura discloses a semiconductor device comprising: an interconnection board 3 having first and second surfaces; at least one external electrode pad 11 buried in said interconnection board, said at least one external electrode pad having an exposed surface level with said second

surface so that said second surface and said exposed surface form a single flat plane; a buffer layer 20, 24 having a first surface contacting said second surface of said interconnection board; a supporting plate 55 spaced from a second surface of said buffer layer and defining a gap between said second surface of said buffer layer and said supporting plate, said supporting plate having plural holes therein "hole portions"; at least one external electrode 54 in one of said holes in said supporting plate and connected to said at least one external electrode pad through said buffer layer; and a sealing resin 50 in said gap and surrounding and supporting said at least one external electrode; wherein said external electrode comprises a solder ball.

To further clarify the disclosure of a buffer layer 20, 24 and a supporting plate 55, the terms "buffer" and "supporting" are statements of intended use of the layer and plate, respectively, that do not appear to result in a structural difference between the claimed layer and plate and the layer and plate of Nakamura. Further, because the layer and plate of Nakamura appear to have the same structure as the claimed layer and plate, they appear to be inherently capable of being used for the intended uses – specifically, for buffering and supporting, respectively, and the statements of intended use do not patentably distinguish the claimed layer and plate from the layer and plate of Nakamura. The manner in which a product operates is not germane to the issue of patentability of the product; Ex parte Wikdahl

10 USPQ 2d 1546, 1548 (BPAI 1989); Ex parte McCullough 7 USPQ 2d 1889, 1891 (BPAI 1988); In re Finsterwalder 168 USPQ 530 (CCPA 1971); In re Casey 152 USPQ 235, 238 (CCPA 1967). And, claims directed to product must be distinguished from the prior art in terms of structure rather than function. In re Danley, 120 USPQ 528, 531 (CCPA 1959). "Apparatus claims cover what a device is, not what a device does [or is intended to do]." Hewlett-Packard Co. v. Bausch & Lomb Inc., 15 USPQ2d 1525, 1528 (Fed. Cir. 1990).

Also, Nakamura discloses that the external electrode 54 comprises a solder ball because Nakamura discloses, at least in the cited Figures 6B, 6C, 6D and 7, that the external electrode comprises a round or roundish, cylindrical solder body.

However, Nakamura does not appear to explicitly disclose said interconnection board having a multilevel insulating resin layer and a multilayer wiring layer therein; at least a semiconductor chip mounted on said first surface of said interconnection board; wherein said at least semiconductor chip is bonded via bumps to said first surface of said interconnection board.

Notwithstanding, at column 13, lines 1-19; and column 18, lines 23-37, Hayasaka discloses an interconnection board 1a having a multilevel insulating layer 11n and a multilayer wiring layer 19a, 19b therein; at least a

semiconductor chip 1b mounted on said first surface of said interconnection board; wherein said at least semiconductor chip is bonded via bumps 8 to said first surface of said interconnection board. Moreover, it would have been obvious to combine these disclosures of Hayasaka and Nakamura because it would provide a stacked chip package having reduced size and increased reliability.

Also, Nakamura and Hayasaka do not appear to explicitly disclose a resin insulating layer.

Still, at column 4, line 27, Baba discloses a resin insulating layer 4a. In addition, it would have been obvious to combine this disclosure of Baba with the disclosure of Nakamura and Hayasaka because it would facilitate provision of the insulating layer of Nakamura and Hayasaka.

Claims 46-49 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakamura, Hayasaka and Baba as applied to claim 43, and further in combination with Nakatani (6038133).

As cited, Nakamura, Hayasaka and Baba disclose a sealing material "underfill" provided on said first surface of said interconnection board for sealing said at least semiconductor chip and said bumps; at least a heat spreader 60 provided on said at least semiconductor chip; an under-fill "underfill" material provided on said first surface of said interconnection board for sealing said at least semiconductor chip and said bumps; an

inherent stiffener 20 spaced from at least one peripheral edge of said semiconductor chip; and a heat spreader contacting said semiconductor chip and said stiffener.

Page 6

To further clarify, the term "heat spreader" is a statement of intended use of the product that does not appear to result in a structural difference between the claimed product and the product of the applied prior art. Further, because the product of the applied prior art appears to have the same structure as the claimed product, it appears to be inherently capable of being used for the intended use - specifically, for spreading heat - and the statement of intended use does not patentably distinguish the claimed product from the product of the applied prior art. The manner in which a product operates is not germane to the issue of patentability of the product; Ex parte Wikdahl 10 USPQ 2d 1546, 1548 (BPAI 1989); Ex parte McCullough 7 USPQ 2d 1889, 1891 (BPAI 1988); In re Finsterwalder 168 USPQ 530 (CCPA 1971); In re Casey 152 USPQ 235, 238 (CCPA 1967). Also, "Expressions relating the apparatus to contents thereof [in the instant case heat] during an intended operation are of no significance in determining patentability of the apparatus claim."; Ex parte Thibault, 164 USPQ 666, 667 (Bd. App. 1969). And, claims directed to product must be distinguished from the prior art in terms of structure rather than function. In re Danley, 120 USPQ 528, 531 (CCPA 1959). "Apparatus claims cover what a device is,

not what a device does [or is intended to do]." Hewlett-Packard Co. v. Bausch & Lomb Inc., 15 USPQ2d 1525, 1528 (Fed. Cir. 1990). In any case, as cited, Baba explicitly discloses a heat spreader 39, contacting chip 1b. Furthermore, it would have been obvious to combine this disclosure of Baba with the disclosure of Nakayama and Hayasaka because it would enhance heat radiation capability of the device.

Page 7

However, Nakamura, Hayasaka and Baba do not appear to explicitly disclose a sealing resin material and an under-fill resin material.

Notwithstanding, at column 9, lines 22-31, Nakatani discloses an underfill sealing resin material. Furthermore, it would have been obvious to combine this disclosure of Nakatani with the disclosure of Nakamura, Hayasaka and Baba because it would facilitate provision of the under-fill of Nakamura, Hayasaka and Baba and prevent the formation of gaps.

Claims 50-53 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakamura, Hayasaka and Baba as applied to claim 43, and further in combination with Kitazawa (6057600).

As cited supra, Nakamura, Hayasaka and Baba disclose wherein said buffer layer comprises plural generally column shaped electrically conductive layers 24 that connect said at least one external electrode to said at least one external electrode pad; and an inherently supporting sealing material 20 surrounding said plural generally column shaped electrically conductive

layers so that said supporting sealing material is in tight contact with said plural generally column shaped electrically conductive layers; wherein said supporting sealing material is inherently capable of absorbing and/or relaxing a stress applied to said at least one external electrode; wherein said plural generally column shaped electrically conductive layers are made of a metal "Cu"; wherein said supporting sealing resin material is made of an insulative material.

Page 8

However, Nakamura, Hayasaka and Baba does not appear to explicitly disclose a supporting sealing resin material made of an organic insulative material.

Still, as cited supra, Nakamura, Hayasaka and Baba disclose a glass-ceramic supporting sealing material wiring board 20. In addition, at column 11, lines 3-9, Kitazawa discloses that a glass-ceramic wiring board 23 and an organic insulative resin wiring board 23 are alternatives and equivalents; therefore, it would have been obvious to substitute or combine the board of Kitazawa for or with the board of Nakamura, Hayasaka and Baba. See In re May (CCPA) 136 USPQ 208 (It is our opinion that the substitution of Wille's type seal for the cement of Hallauer in Figure 1 would be obvious to persons of ordinary skill in the art from the disclosures of these references, merely involving an obvious selection between known alternatives in the art and the application of routine technical skills.); In re Cornish (CCPA) 125 USPQ 413;

In re Soucy (CCPA) 153 USPQ 816; Sabel et al. v. The Wickes Corporation et al. (DC SC) 175 USPQ 3; Ex parte Seiko Koko Kabushiki Kaisha Co. (BdPatApp&Int) 225 USPQ 1260; and Ex parte Rachlin (BdPatApp&Int) 151 USPQ 56. See also Smith v. Hayashi, 209 USPQ 754 (Bd. of Pat. Inter. 1980) (However, there was evidence that both phthalocyanine and selenium were known photoconductors in the art of electrophotography. "This, in our view, presents strong evidence of obviousness in substituting one for the other in an electrophotographic environment as a photoconductor." 209 USPQ at 759.). An express suggestion to substitute one equivalent component or process for another is not necessary to render such substitution obvious. In re Fout, 675 F.2d 297, 213 USPQ 532 (CCPA 1982). "It is prima facie obvious to combine two compositions each of which is taught by the prior art to be useful for the same purpose, in order to form a third composition to be used for the very same purpose.... [T]he idea of combining them flows logically from their having been individually taught in the prior art." In re Kerkhoven, 626 F.2d 846, 850, 205 USPO 1069, 1072 (CCPA 1980) (citations omitted). See also In re Crockett, 279 F.2d 274, 126 USPQ 186 (CCPA 1960); Ex parte Quadranti, 25 USPQ2d 1071 (Bd. Pat. App. & Inter. 1992).

Claims 86-89 are allowed.

Application/Control Number: 09/678,609 Page 10

Art Unit: 2822

Applicant's remarks filed 10-24-5 have been fully considered and are most in view of the new grounds of rejection.

The art made of record and not applied to the rejection is considered pertinent to applicant's disclosure. It is cited primarily to show inventions relevant to the examination of the instant invention.

## For information on the status of this application applicant should check PAIR:

Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Alternatively, applicant may contact the File Information Unit at (703) 308-2733. Telephone status inquiries should not be directed to the examiner. See MPEP 1730VIC, MPEP 203.08 and MPEP 102.

Any other telephone inquiry concerning this communication or earlier communications from the examiner should be directed to David E. Graybill at (571) 272-1930. Regular office hours: Monday through Friday, 8:30 a.m. to 6:00 p.m.

The fax phone number for group 2800 is (571) 273-8300.

David E. Graybill Primary Examiner Art Unit 2822

D.G. 5-Jan-06